

## MV-ACP-H12p-open-HF-\*m

## 12-PIN P10 High Flex POWER&I/O CABLE

The 12-pin P10 High Flex Power&I/O Cable can be used to power the camera, I/O signal wiring, and is available in a variety of lengths.




## **Applicable Camera:**

Hikrobot 12-pin P10 Power and I/O Interface Industrial Camera

#### **Order Models:**

- 3m 12-pin P10 High Flex Power&I/O Cable: MV-ACP-H12p-open-HF-3m
- 5m 12-pin P10 High Flex Power&I/O Cable: MV-ACP-H12p-open-HF-5m
- 7m 12-pin P10 High Flex Power&I/O Cable: MV-ACP-H12p-open-HF-7m
- 10m 12-pin P10 High Flex Power&I/O Cable: MV-ACP-H12p-open-HF-10m

#### **Dimension:**



#### **Pin Definition**

(6 (2 (9) (5 (1) (1) (1) (1) (1) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2
--

Pin	Wire Color	Pin	Wire Color
1	Black	7	Brown
2	Red	8	Orange
3	White/Blue	9	Blue
4	White/Green	10	Green
5	Gray	11	Purple
6	White	12	Yellow

# **Specification**

MV-ACP-H12p-open-HF-*m				
12-pin P10 High Flex Power&I/O Cable				
Physical specification				
P10 12-pin, Female				
Open				
7.0 mm				
3/5/7/10 m				
5P*26AWG+1P*24AWG+F+B				
PVC				
olor Black				
made in China				
≥750 cycles				
84 mm				
Drag chain				
≥5 million times				
Electrical specification				
30 VDC				
Additional information				
-20℃ ~80℃				
RoHS2.0, UL				
Individual package				

Read the user manual for the camera including the precautions before connecting the cable to the camera.



Hangzhou Hikrobot Co., Ltd. en.hikrobotics.com